APPENDIX A

VERSION 5.00

Object = "{EAB22AC0-30C1-11CF-A7EB-0000C05BAE0B}#1.1#0"; "SHDOCVW.DLL"

Begin VB.Form Form1

  BackColor   = &H0080FF80&

  BorderStyle   = 0 'None

  ClientHeight = 14130

  ClientLeft   = 4905

  ClientTop   = 555

  ClientWidth   = 9405

  ControlBox   = 0 'False

  LinkTopic   = "Form1"

  MaxButton   = 0 'False

  MinButton   = 0 'False

  ScaleHeight   = 14130

  ScaleWidth   = 9405

  ShowInTaskbar = 0 'False

  Begin VB.Timer Timer2

    Enabled   = 0 'False

    Interval   = 60000

    Left   = 4440

    Top   = 360

  End

  Begin VB.CommandButton cmdBack

    Caption   = "Previous Page"

BeginProperty Font

   Name   = "Arial"

   Size   = 12

   Charset   = 0

   Weight   = 700

   Underline = 0 'False

   Italic   = 0 'False

   Strikethrough = 0 'False

EndProperty

Height   = 375

Left   = 5520

Style   = 1 'Graphical

TabIndex = 14

Top   = 13320

Width   = 2055

End

Begin VB.CommandButton Command1

   Caption   = "Command1"

   Height   = 1575

   Left   = 1560

   TabIndex = 13

   Top   = 720

   Visible   = 0 'False

   Width   = 2295

End

```
Begin VB.CommandButton scrolldn

    Caption       =   "DOWN"

    BeginProperty Font

        Name          =   "Arial"

        Size          =   12

        Charset       =   0

        Weight        =   700

        Underline     =   0   'False

        Italic        =   0   'False

        Strikethrough =   0   'False

    EndProperty

    Height        =   1215

    Left          =   8400

    TabIndex      =   12

    Top           =   4080

    Width         =   375

End

Begin VB.CommandButton scrollup

    Caption       =   "UP"

    BeginProperty Font

        Name          =   "Arial"

        Size          =   12

        Charset       =   0

        Weight        =   700

        Underline     =   0   'False
```

```
    Italic        = 0  'False

    Strikethrough = 0  'False

  EndProperty

  Height     = 1215

  Left       = 8520

  TabIndex     = 11

  Top        = 2640

  Width      = 375

End

Begin VB.CommandButton scrolllt

  Caption      = "LEFT"

  BeginProperty Font

    Name       = "Arial"

    Size       = 12

    Charset      = 0

    Weight     = 700

    Underline    = 0  'False

    Italic      = 0  'False

    Strikethrough = 0  'False

  EndProperty

  Height     = 375

  Left       = 5880

  TabIndex     = 10

  Top        = 7800

  Width      = 1095
```

End

Begin VB.CommandButton scrollrt

Caption   =   "RIGHT"

BeginProperty Font

Name   =   "Arial"

Size   =   12

Charset   =   0

Weight   =   700

Underline   =   0   'False

Italic   =   0   'False

Strikethrough   =   0   'False

EndProperty

Height   =   375

Left   =   7320

TabIndex   =   9

Top   =   7800

Width   =   1095

End

Begin VB.CommandButton cmdexit

Caption   =   "Exit"

BeginProperty Font

Name   =   "Arial"

Size   =   12

Charset   =   0

Weight   =   700

```
    Underline    = 0  'False

    Italic       = 0  'False

    Strikethrough = 0  'False

  EndProperty

  Height       = 375

  Left         = 3240

  Style        = 1  'Graphical

  TabIndex     = 1

  Top          = 13320

  Width        = 2055

End

Begin VB.Timer Timer3

  Enabled      = 0  'False

  Interval     = 500

  Left         = 4920

  Top          = 3120

End

Begin VB.Frame Frame5

  BorderStyle  = 0  'None

  Caption      = "Frame5"

  Height       = 1000

  Left         = 1080

  TabIndex     = 6

  Top          = 4560

  Width        = 6200
```

Begin VB.Label Label1

    Alignment   = 2 'Center

    BackStyle   = 0 'Transparent

    Caption   = "Processing request . . .please wait."

    BeginProperty Font

      Name   = "MS Sans Serif"

      Size   = 18

      Charset   = 0

      Weight   = 400

      Underline   = 0 'False

      Italic   = 0 'False

      Strikethrough = 0 'False

    EndProperty

    ForeColor   = &H0000FFFF&

    Height   = 615

    Left   = 240

    TabIndex   = 7

    Top   = 240

    Width   = 5775

End

Begin VB.Label Label2

    Alignment   = 2 'Center

    BackStyle   = 0 'Transparent

    Caption   = "Processing request . .   .please wait."

    BeginProperty Font   7

```
        Name        =   "MS Sans Serif"

        Size        =   18

        Charset     =   0

        Weight      =   400

        Underline   =   0   'False

        Italic      =   0   'False

        Strikethrough  =  0  'False

    EndProperty

    Height      =   615

    Left        =   290

    TabIndex    =   8

    Top         =   290

    Width       =   5775

End

Begin VB.Shape Shape1

    BackColor   =   &H00FF0000&

    BackStyle   =   1 'Opaque

    BorderWidth =   3

    Height      =   1000

    Left        =   0

    Top         =   0

    Width       =   6200

End

End

Begin VB.Frame Frame4
```

```
BackColor      = &H00404040&

BorderStyle    = 0 'None

Caption        = "Frame2"

Height         = 2775

Left           = 6840

TabIndex       = 5

Top            = 10200

Width          = 615

End

Begin VB.Frame Frame3

   BackColor      = &H00404040&

   BorderStyle    = 0 'None

   Caption        = "Frame2"

   Height         = 2775

   Left           = 6120

   TabIndex       = 4

   Top            = 10200

   Width          = 615

End

Begin VB.Frame Frame2

   BackColor      = &H00404040&

   BorderStyle    = 0 'None

   Caption        = "Frame2"

   Height         = 2775

   Left           = 5400
```

```
        TabIndex      =  3

        Top           =  10200

        Width         =  615

    End

    Begin VB.Frame Frame1

        BackColor     =  &H00404040&

        BorderStyle   =  0  'None

        Height        =  3255

        Left          =  5040

        TabIndex      =  2

        Top           =  9960

        Width         =  200

    End

    Begin VB.TextBox txtAddress

        Height        =  495

        Left          =  600

        TabIndex      =  0

        Text          =  "Text1"

        Top           =  13920

        Visible       =  0  'False

        Width         =  2535

    End

    Begin VB.Timer Timer1

        Enabled       =  0  'False

        Interval      =  1000
```

```
        Left       =  6480

        Top        =  2040

    End

    Begin SHDocVwCtl.WebBrowser WebBrowser1

        Height     =  975

        Left       =  480

        TabIndex   =  15

        Top        =  3000

        Width      =  2895

        ExtentX    =  5106

        ExtentY    =  1720

        ViewMode   =  0

        Offline    =  0

        Silent     =  0

        RegisterAsBrowser=  0

        RegisterAsDropTarget=  1

        AutoArrange    =  0   'False

        NoClientEdge   =  0   'False

        AlignLeft      =  0   'False

        ViewID     =  "{0057D0E0-3573-11CF-AE69-08002B2E1262}"

        Location   =  ""

    End

End

Attribute VB_Name = "Form1"

Attribute VB_GlobalNameSpace = False              11
```

```
Attribute VB_Creatable = False

Attribute VB_PredeclaredId = True

Attribute VB_Exposed = False

Dim WithEvents Web_V1 As SHDocVwCtl.WebBrowser_V1

Attribute Web_V1.VB_VarHelpID = -1

Dim iminutes As Integer

Private Sub cmdexit_Click()

Me.Hide

End Sub



Private Sub Form_Load()

Set Web_V1 = WebBrowser1.Object



Me.Top = 300

Me.Height = Screen.Height - 600

Me.Width = Screen.Width * 0.7

Me.Left = (Screen.Width - Me.Width) / 2



Command1.Height = Me.Height

Command1.Width = Me.Width
```

```
Command1.Left = Me.Left

Command1.Top = Me.Top




Frame1.Top = 0

Frame1.Left = 0

Frame1.Width = 50 + scrollup.Width

Frame1.Height = Command1.Height



Frame2.Top = 0

Frame2.Width = (Frame1.Width)

Frame2.Left = Command1.Width - Frame2.Width

Frame2.Height = Command1.Height




Frame3.Height = Frame1.Width

Frame3.Width = Command1.Width

Frame3.Left = 0

Frame3.Top = 0



Frame4.Left = 0

Frame4.Height = Frame3.Height

Frame4.Width = Command1.Width

Frame4.Top = Command1.Height -                    13Frame4.Height
```

```
Frame5.Top = (Command1.Height - Frame5.Height) / 2

Frame5.Left = (Command1.Width - Frame5.Width) / 2

Frame5.Visible = False


cmdexit.Left = Command1.Width * 1 / 3 - (cmdexit.Width / 2)

cmdexit.Top = Frame4.Top + (Frame4.Height - cmdexit.Height) / 2


cmdBack.Left = Command1.Width * 2 / 3 - (cmdBack.Width / 2)

cmdBack.Top = Frame4.Top + (Frame4.Height - cmdBack.Height) / 2


scrollup.Left = Frame2.Left + (Frame2.Width - scrollup.Width) / 2

scrollup.Top = Frame1.Width


scrolldn.Left = scrollup.Left

scrolldn.Top = Command1.Height - (scrolldn.Height + Frame1.Width)


scrolllt.Top = Frame4.Top + (Frame4.Height - scrolllt.Height) / 2

scrolllt.Left = Frame1.Width


scrollrt.Top = scrolllt.Top

scrollrt.Left = Frame2.Left - scrollrt.Width


WebBrowser1.Height = Frame4.Top -                    (Frame3.Height - 50)

WebBrowser1.Top = Frame3.Height              14
```

```
WebBrowser1.Left = Frame1.Width

WebBrowser1.Width = Command1.Width - (Frame1.Width + Frame2.Width - 50)


Timer1.Enabled = True

Timer2.Enabled = True

iminutes = 0

End Sub



Private Sub scrolldn_Click()

Frame5.Visible = False

WebBrowser1.Document.parentWindow.scrollBy 0, WebBrowser1.Height * 0.6

End Sub



Private Sub scrolllt_Click()

Frame5.Visible = False

WebBrowser1.Document.parentWindow.scrollBy WebBrowser1.Height * -0.6, 0

End Sub



Private Sub scrollrt_Click()

Frame5.Visible = False

WebBrowser1.Document.parentWindow.scrollBy WebBrowser1.Height * 0.6, 0

End Sub



Private Sub scrollup_Click()
```

```vb
Frame5.Visible = False

WebBrowser1.Document.parentWindow.scrollBy 0, WebBrowser1.Height * -0.6

End Sub




Private Sub Timer1_Timer()

Timer1.Enabled = False

WebBrowser1.Navigate txtAddress.Text

End Sub


Private Sub cmdBack_Click()

    Frame5.Visible = False

    On Error Resume Next

    WebBrowser1.GoBack

End Sub



Private Sub Timer2_Timer()

    iminutes = iminutes + 1

    If iminutes > 2 Then

        Timer2.Enabled = False

        Me.Hide

    End If
```

```vb
End Sub


Private Sub Timer3_Timer()

    Timer3.Enabled = False

    Frame5.Visible = False

End Sub


Private Sub WebBrowser1_DownloadBegin()

    Frame5.Visible = True


End Sub


Private Sub WebBrowser1_DocumentComplete(ByVal pDisp As Object, URL As Variant)


    Timer3.Enabled = True

    'On Error Resume Next

    If (pDisp Is WebBrowser1.Object) Then

        'DocumentComplete event is fired for each frame on a page

        'this condition means that the main document is fully loaded

        'and you can use brwWebBrowser.Document property



        RecurseFrames WebBrowser1.Document, Nothing

    End If

End Sub
```

```
Private Sub WebBrowser1_DownloadComplete()

    Timer3.Enabled = False

    iminutes = 0

    Timer3.Enabled = True

End Sub




Private Sub Web_V1_NewWindow(ByVal URL As String, _

                ByVal Flags As Long, _

                ByVal TargetFrameName As String, _

                PostData As Variant, _

                ByVal Headers As String, _

                Processed As Boolean)

    Processed = True

    WebBrowser1.Navigate URL

End Sub




Private Sub WebBrowser1_StatusTextChange(ByVal Text As String)

    Timer2.Enabled = False

    iminutes = 0
```

18

Timer2.Enabled = True

End Sub

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division

Application deficiencies found during scanning:

☐ Page(s)_____ of_____ were not present
for scanning.   (Document title)

☐ Page(s)_____ of_____ were not present
for scanning.   (Document title)

☑ *Scanned copy is best available.* *drawings*